

<b>English Standardised Score</b>	<b>Maths Standardised Score</b>	<b>Creative Writing Standard</b>	<b>Catchment Area</b>
113.5	107.3	Of the Standard	Yes
112.8	120.5	Of the Standard	Yes
104.2	108.3	Of the Standard	Yes
126.2	119.4	Of the Standard	No
98.1	106.7	Of the Standard	Yes
89.6	97.1	Of the Standard	Yes
91.2	96.8	Of the Standard	Yes
96.7	115	Of the Standard	Yes
99.8	105.7	Of the Standard	Yes
107.1	116.8	Of the Standard	Yes
115.6	93.8	Of the Standard	Yes
95.6	93.8	Of the Standard	Yes
113.1	100.6	Of the Standard	Yes
102.4	118.4	Of the Standard	Yes
116.9	92.1	Of the Standard	Yes
108.3	110.1	Of the Standard	Yes
106.7	100.8	Of the Standard	Yes
115.2	108.4	Of the Standard	Yes
114.4	112.3	Of the Standard	Yes
111.7	95.4	Of the Standard	Yes
94.2	95.8	Of the Standard	Yes
111.8	110	Of the Standard	Yes
127.6	110.1	Of the Standard	Yes
106.3	105.3	Of the Standard	Yes
106.6	104	Of the Standard	Yes
111.4	100.6	Of the Standard	Yes
94.8	111.8	Of the Standard	Yes
113.3	118.2	Of the Standard	Yes
115.8	112.3	Of the Standard	Yes
113.5	105.7	Of the Standard	Yes
106.2	105.5	Of the Standard	Yes
120.3	113.9	Of the Standard	Yes
118	97.2	Of the Standard	Yes
98.3	107.1	Of the Standard	Yes
115	108.4	Of the Standard	Yes
117.9	103.4	Of the Standard	Yes
125.8	126.4	Of the Standard	Yes
118.2	121.5	Of the Standard	Yes
117	110.2	Of the Standard	Yes
122	126.4	Of the Standard	Yes
98.3	97.2	Of the Standard	Yes
121.8	127	Of the Standard	Yes
109.5	113.2	Of the Standard	Yes
123.1	115.4	Of the Standard	Yes
114.2	115.5	Of the Standard	Yes

105.5	115.1	Of the Standard	Yes
108.4	103.6	Of the Standard	Yes
111.5	95.7	Of the Standard	Yes
116.6	113.6	Of the Standard	Yes
115.2	121.6	Of the Standard	Yes
112	98.5	Of the Standard	Yes
115.1	115.6	Of the Standard	Yes
115.4	115.1	Of the Standard	Yes
109.5	114.9	Of the Standard	Yes
115	110.3	Of the Standard	Yes
107.2	102.1	Of the Standard	Yes
118.9	100.2	Of the Standard	Yes
121.2	110	Of the Standard	Yes
106.2	121.6	Of the Standard	Yes
99.2	110.4	Of the Standard	Yes
120.3	121.4	Of the Standard	Yes
114.2	127	Of the Standard	Yes
106.6	104.1	Of the Standard	Yes
101.6	100.3	Of the Standard	Yes
95.7	103.4	Of the Standard	Yes
100.4	108.9	Of the Standard	Yes
117.4	113.3	Of the Standard	Yes
109.8	113.6	Of the Standard	Yes
105	102.4	Of the Standard	Yes
122.8	123.5	Of the Standard	Yes
122.7	122.1	Of the Standard	Yes
101.2	107	Of the Standard	Yes
112.1	110.1	Of the Standard	Yes
122.5	113.5	Of the Standard	Yes
105	113.3	Of the Standard	Yes
107.7	99	Of the Standard	Yes
109.7	109	Of the Standard	Yes
124.7	121.7	Of the Standard	Yes
111	99.1	Of the Standard	Yes
123.8	125.2	Of the Standard	Yes
93.6	102.1	Of the Standard	Yes
95.7	107	Of the Standard	Yes
109.4	104	Of the Standard	Yes
118.1	107	Of the Standard	Yes
100.1	106.9	Of the Standard	Yes
108.9	101.8	Of the Standard	Yes
112.5	115.1	Of the Standard	Yes
103.6	110.3	Of the Standard	Yes
110.2	125.3	Of the Standard	Yes
114.9	110.3	Of the Standard	Yes
95.4	93.7	Of the Standard	Yes
104.9	113.2	Of the Standard	Yes
120.5	98.9	Of the Standard	Yes

110	110.1	Of the Standard	Yes
117.6	108.8	Of the Standard	Yes
124.1	117.1	Of the Standard	Yes
109.6	125	Of the Standard	Yes
98.8	96.8	Of the Standard	Yes
116.8	121.6	Of the Standard	Yes
101.4	105.2	Of the Standard	Yes
114.4	125.1	Of the Standard	Yes
118.2	103.5	Of the Standard	Yes
105.5	112.1	Of the Standard	Yes
120.5	111.7	Of the Standard	Yes
117.8	118.7	Of the Standard	Yes
102	118.5	Of the Standard	Yes
121	121.4	Of the Standard	Yes
114.6	128.2	Of the Standard	Yes
96.3	95.7	Of the Standard	Yes
98.9	114.9	Of the Standard	Yes
116.1	118.6	Of the Standard	Yes
118.1	126.7	Of the Standard	Yes
96.1	106.8	Of the Standard	Yes
115.3	113.4	Of the Standard	Yes
118.9	131.7	Of the Standard	Yes
114.1	120.4	Of the Standard	Yes
100.8	100.3	Of the Standard	Yes
124.8	123.7	Of the Standard	Yes
107.4	95.9	Of the Standard	Yes
105.1	105.7	Of the Standard	Yes
113.7	128.2	Of the Standard	Yes
115.6	116.8	Of the Standard	Yes
125.3	128.2	Of the Standard	Yes
116	103.8	Of the Standard	Yes
115.8	121.8	Of the Standard	Yes
110.8	113.7	Of the Standard	Yes
100.6	97	Of the Standard	Yes
121.5	128.5	Of the Standard	Yes
111.1	116.5	Of the Standard	Yes
112.9	118.3	Of the Standard	Yes
115.7	102.4	Of the Standard	Yes
114.3	107	Of the Standard	Yes
114.2	105.4	Of the Standard	Yes
103.1	100.6	Of the Standard	Yes
112.8	113.6	Of the Standard	Yes
122.1	113.7	Of the Standard	Yes
107.3	112.2	Of the Standard	Yes
122.1	120.2	Of the Standard	Yes
104.2	103.7	Of the Standard	Yes
112.9	113.3	Of the Standard	Yes
117.4	125.1	Of the Standard	Yes

113.3	98.7	Of the Standard	Yes
113.3	125	Of the Standard	Yes
116.8	128.1	Of the Standard	Yes
126.7	113.3	Of the Standard	Yes
126.5	121.5	Of the Standard	Yes
97.4	103.8	Of the Standard	Yes
108.1	95.2	Of the Standard	Yes
116.3	102.3	Of the Standard	Yes
100.9	107.2	Of the Standard	Yes
111	109.9	Of the Standard	Yes
109.3	120	Of the Standard	Yes
107.5	113.3	Of the Standard	Yes
108.9	107.3	Of the Standard	Yes
107.9	110.2	Of the Standard	Yes
107.3	120.4	Of the Standard	Yes
125	115.2	Of the Standard	Yes
109.6	121.5	Of the Standard	Yes
122.2	105.2	Of the Standard	Yes
113.4	122.1	Of the Standard	Yes
128.4	108.8	Of the Standard	Yes
119.7	106.7	Of the Standard	Yes
119.6	108.7	Of the Standard	Yes
119.2	110.2	Of the Standard	Yes
112.9	116.6	Of the Standard	Yes
106.5	121.7	Of the Standard	Yes
115.7	118.2	Of the Standard	Yes
122.8	106.8	Of the Standard	Yes
95	110	Of the Standard	Yes
101.1	96.8	Of the Standard	Yes
104.6	108.8	Of the Standard	Yes
115.8	120.1	Of the Standard	Yes
124.8	121.7	Of the Standard	Yes
95.5	102.3	Of the Standard	Yes
102.1	110.4	Of the Standard	Yes
114.8	99.1	Of the Standard	Yes
101.4	115	Of the Standard	Yes
119.5	114.9	Of the Standard	Yes
107.3	96.9	Of the Standard	Yes
107.9	102.3	Of the Standard	Yes
102.6	103.4	Of the Standard	Yes
113.1	103.9	Of the Standard	Yes
122.7	126.7	Of the Standard	Yes
110	117	Of the Standard	Yes
127.2	126.4	Of the Standard	Yes
118	111.6	Of the Standard	Yes
93.6	95.3	Of the Standard	Yes
113.1	115.1	Of the Standard	Yes
119.8	123.2	Of the Standard	Yes

95.8	97.5	Of the Standard	Yes
112.8	113.9	Of the Standard	Yes
118.7	122	Of the Standard	Yes
131.2	124.8	Of the Standard	Yes
124.6	115.1	Of the Standard	Yes
101.2	98.5	Of the Standard	Yes
109.7	123.1	Of the Standard	Yes
118.1	110.3	Of the Standard	Yes
108.9	101.8	Of the Standard	Yes
109.6	103.4	Of the Standard	Yes
115.7	122.1	Of the Standard	Yes
115.7	105	Of the Standard	Yes
120.2	128	Of the Standard	Yes
114.1	110	Of the Standard	Yes
125.5	121.7	Of the Standard	Yes
112.5	100.7	Of the Standard	Yes
109.8	99.2	Of the Standard	Yes
117.1	113.8	Of the Standard	Yes
108.3	105.5	Of the Standard	Yes
114.7	121.7	Of the Standard	Yes
111.5	112.1	Of the Standard	Yes
94.2	93.5	Of the Standard	Yes
102.3	100.3	Of the Standard	Yes
122.7	113.9	Of the Standard	Yes
112.4	103.6	Of the Standard	Yes
106.1	126.8	Of the Standard	Yes
127.4	125.4	Of the Standard	Yes
131.2	130	Of the Standard	Yes
112.9	123.2	Of the Standard	Yes
104.7	105.6	Of the Standard	Yes
99.6	118.2	Of the Standard	Yes
117.1	113.5	Of the Standard	Yes
106.8	115.3	Of the Standard	Yes
110.3	114.9	Of the Standard	Yes
125.1	123.8	Of the Standard	Yes
120.4	106.8	Of the Standard	Yes
94.8	102.3	Of the Standard	Yes
117.3	121.5	Of the Standard	Yes
118.9	119.9	Of the Standard	Yes
108.8	108.9	Of the Standard	Yes
106	115	Of the Standard	Yes
111.9	113.6	Of the Standard	Yes
104.5	93.7	Of the Standard	Yes
107.7	110.2	Of the Standard	Yes
106.5	111.6	Of the Standard	Yes
96.7	105.4	Of the Standard	Yes
122.1	126.5	Of the Standard	Yes
102.1	101.9	Of the Standard	Yes

98.5	105.2	Of the Standard	Yes
111.1	116.6	Of the Standard	Yes
108.8	124.8	Of the Standard	Yes
120.3	123.1	Of the Standard	Yes
99	112.3	Of the Standard	Yes
108.5	106.9	Of the Standard	Yes
124.6	118.4	Of the Standard	Yes
100.1	113.8	Of the Standard	Yes
104.7	110.2	Of the Standard	Yes
121.8	107	Of the Standard	Yes
110.6	117.2	Of the Standard	Yes
110	102.2	Of the Standard	Yes
121.9	118.8	Of the Standard	Yes
125	118.5	Of the Standard	Yes
127.2	117.2	Of the Standard	Yes
119.6	120.2	Of the Standard	Yes
112.9	99.2	Of the Standard	Yes
123.5	119.9	Of the Standard	Yes
116.2	117	Of the Standard	Yes
118.2	115.6	Of the Standard	Yes
114.2	123.4	Of the Standard	Yes
124.7	115.1	Of the Standard	Yes
121.4	108.8	Of the Standard	Yes
116.7	128.1	Of the Standard	Yes
103.6	107.1	Of the Standard	Yes
100.5	105.1	Of the Standard	Yes
122.3	125.2	Of the Standard	Yes
119	103.8	Of the Standard	Yes
116	115	Of the Standard	Yes
104.5	97	Of the Standard	Yes
96	106.8	Of the Standard	Yes
124.7	128.6	Of the Standard	Yes
114.3	122.1	Of the Standard	Yes
114.2	125.1	Of the Standard	Yes
121.5	113.4	Of the Standard	Yes
112.4	113.5	Of the Standard	Yes
114.2	116.8	Of the Standard	Yes
125.6	121.8	Of the Standard	Yes
116.4	118.5	Of the Standard	Yes
105.3	98.6	Of the Standard	Yes
102.4	102	Of the Standard	Yes
118.5	124.9	Of the Standard	Yes
114.1	103.4	Of the Standard	Yes
107.2	107.3	Of the Standard	Yes
121.3	112	Of the Standard	Yes
94.4	99.2	Of the Standard	Yes
98.9	95.2	Of the Standard	Yes
111.2	110	Of the Standard	Yes

110.1	115.4	Of the Standard	Yes
99.6	110.3	Of the Standard	Yes
118.9	127	Of the Standard	Yes
106.4	115.5	Of the Standard	Yes
113.8	120.3	Of the Standard	Yes
119.9	125.2	Of the Standard	Yes
109.8	112.3	Of the Standard	Yes
113.1	128.5	Of the Standard	Yes
112.9	105.5	Of the Standard	Yes
105.2	110.1	Of the Standard	Yes
109.6	104	Of the Standard	Yes
98.6	95.4	Of the Standard	Yes
106.7	102.5	Of the Standard	Yes
112.7	110.6	Of the Standard	Yes
108.1	112.3	Of the Standard	Yes
107.3	107	Of the Standard	Yes
124.2	117.2	Of the Standard	Yes
127.5	115.3	Of the Standard	Yes
128.7	113.6	Of the Standard	Yes
110.6	118.6	Of the Standard	Yes
110.6	100.2	Of the Standard	Yes
112.9	111.7	Of the Standard	Yes
106.2	113.4	Of the Standard	Yes
103.7	105.8	Of the Standard	Yes
100.3	100.4	Of the Standard	Yes
94.3	94.2	Of the Standard	Yes
112.2	95.6	Of the Standard	Yes
121.3	121.9	Of the Standard	Yes
111.3	110	Of the Standard	Yes
112.8	112	Of the Standard	Yes
123.4	108.4	Of the Standard	Yes
110.1	112.1	Of the Standard	Yes
123.4	118.8	Of the Standard	Yes
126.4	114.9	Of the Standard	Yes
120.1	128.3	Of the Standard	Yes
102.3	108.5	Of the Standard	Yes
99.5	110.5	Of the Standard	Yes
114.7	113.8	Of the Standard	Yes
112.3	112.1	Of the Standard	Yes
95.8	103.4	Of the Standard	Yes
122.7	126.1	Of the Standard	No
123.6	129.8	Of the Standard	N/A Boarding
124.3	127.1	Of the Standard	N/A Boarding
115.6	107.3	Of the Standard	N/A Boarding
101.6	99.4	Of the Standard	No
122.6	121.8	Of the Standard	N/A Boarding
107.7	116.7	Of the Standard	N/A Boarding
105.7	100.4	Of the Standard	N/A Boarding

112.5	121.1	Of the Standard	No
118.3	105.5	Of the Standard	N/A Boarding
106.9	113.4	Of the Standard	N/A Boarding
111.7	112.8	Of the Standard	No
111.2	97.8	Of the Standard	No
100	99.4	Of the Standard	No
102	98.8	Of the Standard	N/A Boarding
116.6	107.8	Of the Standard	No
115.9	117.8	Of the Standard	No
112.9	101.9	Of the Standard	N/A Boarding
111.6	107.8	Of the Standard	No
105.1	107.8	Of the Standard	No
107.5	107.8	Of the Standard	No
126.3	129.4	Of the Standard	No
113.1	107.8	Of the Standard	No
109.1	107.1	Of the Standard	N/A Boarding
120.8	126.9	Of the Standard	N/A Boarding
100.3	104.4	Of the Standard	No
116.7	125.4	Of the Standard	N/A Boarding
109.7	115.3	Of the Standard	Yes
118.7	96.1	Of the Standard	No
112.6	115.5	Of the Standard	N/A Boarding
103.8	104.4	Of the Standard	No
109.6	97.2	Of the Standard	N/A Boarding
109.7	106.7	Of the Standard	N/A Boarding
110	119.4	Of the Standard	No
110.6	116.9	Of the Standard	N/A Boarding
116.1	117.8	Of the Standard	No
96.1	94.4	Of the Standard	No
115.4	117	Of the Standard	N/A Boarding
121.7	114.4	Of the Standard	No
96.3	96.1	Of the Standard	No
116.4	114.4	Of the Standard	No
116.4	119.4	Of the Standard	No
115	122.8	Of the Standard	No
100.4	109.4	Of the Standard	No
110.3	99.4	Of the Standard	No
100	124.4	Of the Standard	No
120.8	123.3	Of the Standard	N/A Boarding
116.5	123.7	Of the Standard	N/A Boarding
126.3	126.9	Of the Standard	N/A Boarding
109.3	121.1	Of the Standard	No
117.1	117.8	Of the Standard	No
122	121.1	Of the Standard	No
113.1	122.8	Of the Standard	No
106	104.1	Of the Standard	N/A Boarding
121.9	130	Of the Standard	N/A Boarding
102.9	106.1	Of the Standard	No

111.6	114.4	Of the Standard	No
116.5	128.3	Of the Standard	N/A Boarding
107.6	114.4	Of the Standard	No
108	99.4	Of the Standard	No
110.8	124.9	Of the Standard	N/A Boarding
105	99.4	Of the Standard	No
98.2	106.1	Of the Standard	No
115.2	112.8	Of the Standard	No
117.3	114.4	Of the Standard	No
121.1	123.1	Of the Standard	N/A Boarding
116.5	128.3	Of the Standard	N/A Boarding
105.3	102.8	Of the Standard	No
110.4	124.4	Of the Standard	No
95.1	97.5	Of the Standard	N/A Boarding
116.9	114.4	Of the Standard	No
109.1	101.1	Of the Standard	No
114.5	106.8	Of the Standard	N/A Boarding
115	112.8	Of the Standard	No
115	105.4	Of the Standard	N/A Boarding
106	111.7	Of the Standard	N/A Boarding
116.2	129.4	Of the Standard	No
98.5	111.8	Of the Standard	N/A Boarding
112.8	116.9	Of the Standard	N/A Boarding
123.7	127.8	Of the Standard	No
110	99.4	Of the Standard	No
107	102.8	Of the Standard	No
119.2	129.4	Of the Standard	No
128.2	126.1	Of the Standard	No
98.9	104	Of the Standard	N/A Boarding
118	107.8	Of the Standard	No
112.2	109.4	Of the Standard	No
102.7	121.1	Of the Standard	No
118	116.5	Of the Standard	N/A Boarding
122.5	112.8	Of the Standard	No
108.9	106.1	Of the Standard	No
105.9	111.7	Of the Standard	N/A Boarding
125	127.8	Of the Standard	No
106.8	99.4	Of the Standard	No
94.2	97.8	Of the Standard	No
99.5	101.1	Of the Standard	No
101.7	119.4	Of the Standard	No
117.3	126.1	Of the Standard	No
119.2	121.9	Of the Standard	N/A Boarding
120.7	114.4	Of the Standard	No
99.1	113.6	Of the Standard	N/A Boarding
110.5	121.1	Of the Standard	No
95.7	114.4	Of the Standard	No
105.9	104.4	Of the Standard	No

111.1	107.8	Of the Standard	No
119.5	126.3	Of the Standard	N/A Boarding
103	101.1	Of the Standard	No
112	117.8	Of the Standard	No
107.8	116.4	Of the Standard	N/A Boarding
110.1	111.1	Of the Standard	No
99.8	114.4	Of the Standard	No
116.9	127.8	Of the Standard	No
117.2	126.1	Of the Standard	No
115.5	109.4	Of the Standard	No
122.9	121.1	Of the Standard	No
119.6	108.4	Of the Standard	N/A Boarding
119.5	111.1	Of the Standard	No
70.9	77.6	N/A	Yes
69	69	N/A	Yes
90.4	92.5	N/A	Yes
110	120.3	Not of the Standard	Yes
77.5	80.8	N/A	N/A Boarding
104.4	116.9	Not of the Standard	Yes
107.6	106.8	Not of the Standard	Yes
85.2	77.5	N/A	Yes
89.3	90.8	Not of the Standard	Yes
89.1	95.6	N/A	Yes
105	106.7	Not of the Standard	Yes
84.1	85.9	N/A	Yes
106	84.4	N/A	Yes
85.4	75.7	N/A	Yes
87.1	81.1	N/A	No
91.9	99.4	N/A	No
75	92.8	N/A	No
109.2	101.9	Not of the Standard	Yes
102.8	82.8	N/A	No
100.6	96.9	Not of the Standard	Yes
91.1	109.4	N/A	No
84.5	78.9	N/A	Yes
93.7	84.1	N/A	Yes
95.1	87	N/A	Yes
82.2	102.8	N/A	No
94.5	113.4	Not of the Standard	Yes
69.1	75.6	N/A	Yes
83.4	72.8	N/A	Yes
108.2	94.2	Not of the Standard	Yes
105.4	111.8	Not of the Standard	Yes
90.5	89.3	N/A	Yes
90.9	92.1	N/A	Yes
88.2	99.1	N/A	Yes
87.4	82.4	N/A	Yes
101.4	97.8	Not of the Standard	No

107.1	108.9	Not of the Standard	Yes
108.4	79	N/A	Yes
85.3	115.6	N/A	Yes
99.5	97.8	Not of the Standard	No
91.6	97.8	N/A	No
103.5	96.1	Not of the Standard	No
115.8	106.7	Not of the Standard	Yes
76	76.2	N/A	Yes
91.8	104.4	N/A	No
85.9	90.3	N/A	N/A Boarding
97.7	84.2	N/A	N/A Boarding
81.3	85.7	N/A	Yes
111.6	102.8	Not of the Standard	No
77.5	74.2	N/A	Yes
92.1	86	N/A	Yes
108	85.7	N/A	Yes
84.4	90.9	N/A	Yes
108.2	102.1	Not of the Standard	Yes
81	77.7	N/A	Yes
96.8	87.8	N/A	No
99.9	102.2	Not of the Standard	Yes
105.9	80.5	N/A	Yes
69	90.3	N/A	N/A Boarding
87.3	90.3	N/A	Yes
69	69	N/A	Yes
69	73.9	N/A	Yes
117.8	87.2	N/A	Yes
104.3	89	N/A	Yes
69	74.3	N/A	Yes
84.4	86.1	N/A	No
108.1	90.9	N/A	Yes
109.7	96.1	Not of the Standard	No
81.1	93.8	N/A	Yes
85.2	83.8	N/A	Yes
103.2	106.1	Not of the Standard	No
98.5	79.4	N/A	No
89.6	95.5	N/A	Yes
69	74.4	N/A	No
108.2	118.3	Not of the Standard	Yes
75.5	98.7	N/A	Yes
77.5	83.8	N/A	Yes
89.3	93.7	N/A	N/A Boarding
70.2	74.1	N/A	Yes
117.1	111.8	Not of the Standard	Yes
72.9	72.9	N/A	Yes
106.8	114.4	Not of the Standard	No
121.2	90.3	N/A	Yes
77.8	74	N/A	Yes

100.8	87.2	N/A	Yes
80.8	82.5	N/A	Yes
74.6	84.4	N/A	No
92.4	95.4	N/A	Yes
92.6	90.5	N/A	Yes
101.8	108.9	Not of the Standard	Yes
94.1	92.8	N/A	No
104.7	94.1	Not of the Standard	Yes
93.5	91.9	N/A	N/A Boarding
88.1	105	N/A	Yes
109.9	107.8	Not of the Standard	No
95.1	87.1	N/A	Yes
72.5	79.3	N/A	Yes
89.1	87.7	N/A	Yes
69	79.4	N/A	No
89.2	83.8	N/A	Yes
86.1	93.7	N/A	Yes
78.5	87.8	N/A	No
86.4	79.3	N/A	Yes
90.1	108.5	N/A	N/A Boarding
105.2	106.1	Not of the Standard	No
85.3	102.2	N/A	Yes
69	74.3	N/A	Yes
94.4	92.3	N/A	Yes
76.8	104.1	N/A	Yes
98.4	96.1	Not of the Standard	No
97.5	82.5	N/A	Yes
88.1	77.5	N/A	Yes
102.7	105.1	Not of the Standard	Yes
101.8	99.4	Not of the Standard	No
95.9	102.8	Not of the Standard	No
129.5	129.4	Not of the Standard	No
89.8	101.1	N/A	No
98.3	79.2	N/A	Yes
78	81	N/A	Yes
92.2	95.6	N/A	Yes
99	100.2	Not of the Standard	N/A Boarding
82.7	102	N/A	N/A Boarding
95.2	91.1	N/A	No
85	94.4	N/A	No
84	90.8	N/A	Yes
69	69.1	N/A	Yes
79.9	84.1	N/A	Yes
84.4	75.6	N/A	Yes
97.7	84.2	N/A	Yes
77.8	82.6	N/A	Yes
78.5	101.9	N/A	N/A Boarding
89.5	101.1	N/A	No

92.3	115	N/A	Yes
75.9	87.3	N/A	N/A Boarding
80.2	74.4	N/A	Yes
85.9	89	N/A	Yes
92.7	87.8	N/A	No
89	103.5	Not of the Standard	Yes
73.5	80.7	N/A	Yes
83.8	72.4	N/A	Yes
89.8	82.7	N/A	Yes
76.6	94.4	N/A	No
88.6	103.6	N/A	Yes
92.2	101.9	N/A	N/A Boarding
81.8	98.7	N/A	Yes
83.2	92.4	N/A	Yes
103.3	88.9	N/A	Yes
76.2	74	N/A	N/A Boarding
92.8	109.4	N/A	No
75.5	97.8	N/A	No
97.2	104	Not of the Standard	Yes
79.5	79.3	N/A	Yes
94.4	84.4	N/A	Yes
124.6	116.7	Not of the Standard	Yes
100	82.8	N/A	No
84.9	111.1	N/A	No
96.3	103.9	Not of the Standard	Yes
90.6	76.1	N/A	No
93.7	90.7	N/A	Yes
91.4	89	N/A	N/A Boarding
94.2	80.7	N/A	Yes
81.3	87.6	N/A	Yes
95.6	90.5	N/A	Yes
98.8	83.7	N/A	Yes
74.2	97.8	N/A	No
84.4	97.8	N/A	No
103.6	85.4	N/A	Yes
88.9	107.8	N/A	No
75.2	70.9	N/A	Yes
83.8	90.4	N/A	Yes
80.6	70.7	N/A	Yes
83.5	87.6	N/A	N/A Boarding
88.8	90.9	N/A	Yes
88.2	101.8	N/A	Yes
99.6	99.1	Not of the Standard	N/A Boarding
114.1	90.3	N/A	Yes
79	82.4	N/A	Yes
88.2	89.3	N/A	Yes
80.5	72.3	N/A	Yes
96	84.1	N/A	N/A Boarding

75.1	77.8	N/A	Yes
86.9	87.1	N/A	Yes
99.3	96.1	Not of the Standard	No
110.1	98.7	Not of the Standard	Yes
109.9	115	Not of the Standard	Yes
87.2	82.3	N/A	N/A Boarding
89.5	94.1	N/A	Yes
84.4	85.7	N/A	Yes
114.7	102	Not of the Standard	Yes
110.5	89	N/A	Yes
105	89.2	N/A	Yes
95.2	80.8	N/A	Yes
92.4	101.1	N/A	No
89.7	102.1	N/A	Yes
98	90.3	N/A	N/A Boarding
94.2	83.7	N/A	Yes
81	82.3	N/A	Yes
95.2	87.1	N/A	Yes
107.3	103.4	Not of the Standard	Yes
101.7	112.1	Not of the Standard	Yes
90	92.4	N/A	N/A Boarding
74.8	90.8	N/A	Yes
73.1	71.3	N/A	Yes
90.6	80.8	N/A	Yes
103.9	87.5	N/A	Yes
110.5	103.8	Not of the Standard	Yes
84.5	75.9	N/A	Yes
71.1	87.2	N/A	Yes
101.4	90.7	N/A	Yes
105	115.5	Not of the Standard	N/A Boarding
103.9	82.3	N/A	Yes
90.7	93.7	N/A	N/A Boarding
92.6	82.6	N/A	Yes
86.6	99.4	N/A	No
94.6	83.9	N/A	Yes
100.2	98.4	Not of the Standard	Yes
106.7	89	N/A	Yes
96.6	102.8	Not of the Standard	No
104.2	115.2	Not of the Standard	Yes
108.8	112.8	Not of the Standard	No
89.7	86.1	N/A	No
98.8	96.8	Not of the Standard	Yes
107.5	126.5	Not of the Standard	N/A Boarding
86.8	82.5	N/A	Yes
80.9	90.8	N/A	Yes
108.1	90.3	N/A	Yes
121.9	127.8	Not of the Standard	No
91	97.4	N/A	Yes

111.8	97.4	Not of the Standard	Yes
105.3	101.1	Not of the Standard	No
108.6	117.1	Not of the Standard	N/A Boarding
83.4	80.7	N/A	Yes
98.2	102.1	Not of the Standard	Yes
105.1	95.6	Not of the Standard	Yes
89.8	76.2	N/A	N/A Boarding
94.6	82.2	N/A	Yes
106.2	115.4	Not of the Standard	Yes
85.1	100.1	N/A	Yes
100.2	89.2	N/A	Yes
80.5	89.3	N/A	Yes
78.1	92.5	N/A	Yes
82.7	79.1	N/A	Yes
109.5	80.4	N/A	Yes
99.9	95.6	Not of the Standard	Yes
89.8	101.1	N/A	No
90.4	88.9	N/A	Yes
97.6	97	Not of the Standard	Yes
101.2	73.9	N/A	Yes
87.3	114.4	N/A	No
89.5	92.8	N/A	No
106	93.7	Not of the Standard	Yes
92	78.8	N/A	Yes
91.4	93.9	N/A	Yes
86.5	96.1	N/A	No
94.7	83.9	N/A	Yes
80	84.2	N/A	Yes
115.5	111.9	Not of the Standard	Yes
80.8	80.9	N/A	Yes
121.1	115.2	Not of the Standard	Yes
98.7	108.9	Not of the Standard	Yes
92.9	101.1	N/A	No
97.1	80.7	N/A	Yes
71.8	84	N/A	Yes
94.7	97.3	Not of the Standard	Yes
106.6	125.1	Not of the Standard	N/A Boarding
98.6	105.6	Not of the Standard	Yes
74	82.8	N/A	No
118.1	79.1	N/A	Yes
81.3	103.7	N/A	Yes
82.5	89.1	N/A	N/A Boarding
94.6	83.9	N/A	Yes
96.3	99.4	Not of the Standard	No
82.8	111.9	N/A	N/A Boarding
69	88.7	N/A	Yes
80.4	92.5	N/A	Yes
94.1	111.1	Not of the Standard	No

87.1	83.9	N/A	Yes
112	99.4	Not of the Standard	No
86.6	84.4	N/A	No
90.6	88.7	N/A	Yes
82.7	88.9	N/A	Yes
79.7	73.9	N/A	Yes
100.7	106.1	Not of the Standard	No
116.1	102.8	Not of the Standard	No
97.9	116.1	Not of the Standard	No
79.1	89.3	N/A	Yes
75.7	79.3	N/A	N/A Boarding
107	105.2	Not of the Standard	Yes
99.1	78.9	N/A	Yes
98.8	110.2	Not of the Standard	Yes
92.1	85.7	N/A	Yes
81.1	99	N/A	Yes
96.8	82.2	N/A	Yes
95.3	90.7	N/A	N/A Boarding
89.6	90.6	N/A	Yes
89.6	82.8	N/A	No
69.3	85.8	N/A	Yes
103.5	89.3	N/A	Yes
75.5	80.9	N/A	Yes
75.5	95.4	N/A	Yes
102.7	88.7	N/A	Yes
93.4	87.3	N/A	Yes
86	84.4	N/A	Yes
112.5	118.7	Not of the Standard	Yes
99.8	92.3	N/A	Yes
93.3	90.8	N/A	Yes
78.6	100.6	N/A	Yes
78.7	72.5	N/A	Yes
76.6	88.6	N/A	Yes
110.3	97.1	Not of the Standard	Yes
91.6	102.8	N/A	No
112.9	88.7	N/A	Yes
81.5	87.1	N/A	Yes
91.4	94.4	N/A	No
84.5	85.4	N/A	Yes
95.1	77.8	N/A	Yes
94.5	90.4	N/A	Yes
72.9	87.7	N/A	Yes
85.7	95.5	N/A	N/A Boarding
93.4	114.4	N/A	No
83.4	77.7	N/A	Yes
81.1	92.8	N/A	No
104.7	87.5	N/A	Yes
98.6	117.8	N/A	No

89.7	98.8	N/A	Yes
86.5	104.4	N/A	No
83.9	101.9	N/A	Yes
75.8	90.3	N/A	Yes
100.1	111.8	Not of the Standard	Yes
104.8	103.9	Not of the Standard	Yes
100.9	96.1	Not of the Standard	No
115.3	105.5	Not of the Standard	Yes
82.9	103.5	N/A	Yes
86.1	80.9	N/A	Yes
76.8	92	N/A	Yes
79	108.6	N/A	Yes
75.2	92	N/A	Yes
86.1	79.2	N/A	Yes
90.6	103.8	N/A	Yes
96.3	85.9	N/A	Yes
83.9	84.2	N/A	Yes
73.7	80.5	N/A	Yes
69	71	N/A	Yes
103.5	89.3	N/A	Yes
82.3	69	N/A	Yes
115.7	126.1	Not of the Standard	No
81.8	104.4	N/A	No
74	77.3	N/A	Yes
88.8	107.3	N/A	Yes
86.5	113.8	N/A	N/A Boarding
110	106.1	Not of the Standard	No
101.1	82.4	N/A	Yes
89.6	82.7	N/A	Yes
103.4	89.2	N/A	Yes
81.1	80.7	N/A	Yes
69	69.4	N/A	Yes
75.3	100.5	N/A	Yes
87.4	111.6	N/A	Yes
108.5	112.8	Not of the Standard	No
86.2	105.2	N/A	Yes
75.1	71.2	N/A	Yes
96.5	80.4	N/A	Yes
86.5	93.8	N/A	N/A Boarding
110.2	96.1	Not of the Standard	No
90.9	107.2	N/A	Yes
114.8	90.5	N/A	N/A Boarding
73	72.8	N/A	No
92.9	92	N/A	Yes
111.6	84.2	N/A	Yes
97.5	83.8	N/A	Yes
100.7	87.8	N/A	No
95	98.8	Not of the Standard	Yes

87.2	84	N/A	Yes
80.2	94.1	N/A	Yes
99.8	92	N/A	Yes
104	94.1	Not of the Standard	Yes
93.1	88.8	N/A	Yes
87.8	89.1	N/A	Yes
85.2	70.7	N/A	Yes
98	97.4	Not of the Standard	Yes
93.1	97.8	N/A	No
99.9	85.8	N/A	Yes
111	80.4	N/A	Yes
100.5	89	N/A	Yes
80.5	77.5	N/A	Yes
69	71.1	N/A	Yes
72.5	80.6	N/A	Yes
113.6	111.1	Not of the Standard	No
83.9	82.5	N/A	Yes
108.2	89	N/A	Yes
80.5	77.8	N/A	Yes
73.7	72.9	N/A	Yes
88.7	110.5	N/A	Yes
100	82.5	N/A	Yes
84.2	102.1	N/A	Yes
76.2	86.1	N/A	No
112.4	94.1	Not of the Standard	Yes
115.4	112.1	Not of the Standard	Yes
112.2	121.1	Not of the Standard	No
86.9	82.5	N/A	Yes
97.8	100.6	Not of the Standard	N/A Boarding
69	69	N/A	Yes
90.2	102	N/A	Yes
74.1	84.4	N/A	No
79.9	87.1	N/A	Yes
98.2	112.8	Not of the Standard	No
94.2	96.8	Not of the Standard	Yes
101.2	112.8	Not of the Standard	No
91.2	102.8	N/A	No
74.4	82.1	N/A	Yes
106	125.4	Not of the Standard	Yes
90.8	105.2	N/A	N/A Boarding
94.2	89.4	N/A	No
73.8	82.5	N/A	Yes
96.1	78.9	N/A	N/A Boarding
69	69	N/A	Yes
91	92.5	N/A	Yes
97	95.4	Not of the Standard	Yes
78.5	79.3	N/A	Yes
94.4	87.1	N/A	Yes

86.3	90.5	N/A	Yes
112.9	100.6	Not of the Standard	Yes
74.3	76.1	N/A	No
95.3	98.9	Not of the Standard	Yes
84.7	100.6	N/A	Yes
83.7	78.9	N/A	Yes
83	92.3	N/A	Yes
78.7	94.4	N/A	No
77.2	79.3	N/A	Yes
75.2	83.8	N/A	Yes
79	77.2	N/A	Yes
91.9	90.6	N/A	Yes
110.6	100.2	Not of the Standard	Yes
74.3	90.3	N/A	Yes
77.2	84.4	N/A	No
111	118.7	Not of the Standard	N/A Boarding
104.4	92.6	N/A	Yes
75.5	83.9	Not of the Standard	Yes
84.7	113.4	N/A	Yes
116.8	124.4	N/A	No
75.1	100.1	N/A	Yes
106	100.5	Not of the Standard	Yes
69	84.1	N/A	Yes
82.7	73.9	N/A	Yes
86.8	91	N/A	Yes
70.2	70.8	N/A	Yes
78.1	80.4	N/A	Yes
103.6	92.6	N/A	Yes
77.5	78.9	N/A	Yes
86.1	85.8	N/A	Yes
100.2	111.1	Not of the Standard	No
89	92.6	N/A	N/A Boarding
103.2	110.2	Not of the Standard	N/A Boarding
83.9	85.8	N/A	Yes
92.6	103.7	N/A	Yes
105.5	118.4	Not of the Standard	N/A Boarding
91.3	91.1	N/A	No
88.3	99.2	N/A	Yes
118.9	128.1	Not of the Standard	Yes
75.3	84.4	N/A	Yes
77.6	87.8	N/A	No
106.3	105.6	Not of the Standard	Yes
101.2	98.5	Not of the Standard	Yes
94.1	96.1	Not of the Standard	No
85.7	87.3	N/A	Yes
96.4	80.7	N/A	Yes
73.5	104.4	N/A	No
101.9	92.5	Not of the Standard	Yes

95.5	79	N/A	Yes
91.9	114.4	N/A	No
97.7	113.7	Not of the Standard	N/A Boarding
101.4	87.1	N/A	Yes
94.7	95.7	Not of the Standard	Yes
90.4	91.9	N/A	N/A Boarding
72.8	85.4	N/A	Yes
84.8	90.8	N/A	Yes
115.2	89.1	N/A	Yes
89.3	102.2	N/A	Yes
111.9	87.3	N/A	Yes
102	87.7	N/A	Yes
84.2	110.2	N/A	Yes
108	88.6	N/A	Yes
101.7	95.7	Not of the Standard	Yes
69	72.3	N/A	Yes
87.3	85.6	N/A	Yes
94.3	102.1	Not of the Standard	Yes
111.3	101.8	Not of the Standard	Yes
78.2	74.5	N/A	Yes
80.8	87.4	N/A	Yes
84.9	88.9	N/A	Yes
106.6	92.6	N/A	Yes
78.6	87.2	N/A	Yes
95.9	106.1	Not of the Standard	No
69	79.1	N/A	Yes
91.6	101.1	N/A	No
94.8	85.9	N/A	Yes
77.8	84.4	N/A	No
121.3	89.4	N/A	No
82.2	89.4	N/A	Yes
84.3	93.6	N/A	Yes
86	80.5	N/A	Yes
81.4	96.9	N/A	Yes
77.7	79.2	N/A	Yes
95.7	85.7	N/A	Yes
93.9	90.5	N/A	Yes
82.7	97.4	N/A	N/A Boarding
91.7	91.1	Not of the Standard	No
94.4	102.4	Not of the Standard	Yes
105.7	94.2	Not of the Standard	Yes
114.9	115.5	Not of the Standard	N/A Boarding
77	99.4	N/A	No
120.5	123.5	Not of the Standard	Yes
111.9	114.4	Not of the Standard	No
82.6	82.8	N/A	No
74.4	77.2	N/A	Yes
89.6	95.5	N/A	Yes

91.9	108.6	N/A	Yes
103.6	98.9	Not of the Standard	Yes
76.7	80.5	N/A	Yes
88.5	89.1	Not of the Standard	Yes
80.6	81.1	N/A	Yes
89.5	89.2	N/A	Yes
100.1	85.6	N/A	Yes
95.7	87.6	N/A	Yes
100.4	85.4	N/A	Yes
100.7	113.7	Not of the Standard	Yes
109.5	83.7	N/A	Yes
92.1	84.1	N/A	Yes
86.8	86.1	N/A	No
108.6	117.8	Not of the Standard	No
80.7	71	N/A	Yes
82.7	83.7	N/A	Yes
81.3	90.3	N/A	Yes
108.7	102	Not of the Standard	N/A Boarding
70.4	79.1	N/A	Yes
91.1	100.4	Not of the Standard	Yes
92.9	86.1	N/A	No
77.1	88.8	N/A	Yes
90.2	113.8	N/A	Yes
89	97.2	N/A	Yes
96.5	98.5	Not of the Standard	Yes
98	102	Not of the Standard	Yes
116.5	105.4	Not of the Standard	Yes
108.9	113.9	Not of the Standard	N/A Boarding
92.2	91	N/A	N/A Boarding
87.6	90.4	N/A	Yes
100.2	95.4	Not of the Standard	N/A Boarding
94	84.2	N/A	Yes
69	69	N/A	Yes
116.7	123.8	Not of the Standard	N/A Boarding
107.2	104.4	Not of the Standard	No
75.9	87.8	N/A	No
85.5	89.4	N/A	No
107	112.8	Not of the Standard	No
98.7	99.4	Not of the Standard	No
96	79.2	N/A	Yes
97.3	97.1	Not of the Standard	N/A Boarding
94.4	112.8	Not of the Standard	No
69	70.6	N/A	Yes
80.2	74.1	N/A	Yes
107.4	92.6	N/A	Yes
108.6	84.3	N/A	Yes
93.5	95.5	Not of the Standard	Yes
113.8	85.8	N/A	Yes

100.4	113.6	Not of the Standard	N/A Boarding
104.2	104	Not of the Standard	Yes
93.2	83.9	N/A	Yes
80.2	113.8	N/A	Yes
120.4	87.7	N/A	Yes
101.7	108.3	Not of the Standard	Yes
92.3	92.4	N/A	N/A Boarding
100.2	105.6	Not of the Standard	N/A Boarding
106.7	82.5	N/A	Yes
84	83.9	N/A	Yes
108.9	113.9	Not of the Standard	N/A Boarding
78.5	85.8	N/A	Yes
96.4	112.8	Not of the Standard	No
85.4	94	N/A	Yes
101.4	93.7	N/A	Yes
97.2	85.9	N/A	Yes
112.7	114.9	Not of the Standard	Yes
88.7	102.8	N/A	No
88.3	96.9	N/A	Yes
69.9	71.1	N/A	No
84.9	99.4	N/A	No
102.4	82.6	N/A	N/A Boarding
102.6	85.6	N/A	Yes
88.8	100.7	N/A	Yes
91.8	89.2	N/A	Yes
87.7	107.1	N/A	Yes
101.3	88.7	N/A	Yes
95.6	84	N/A	Yes
87.3	90.6	N/A	Yes
96.3	86.1	N/A	No
89.6	107.8	N/A	No
81.2	93.5	N/A	Yes
114.9	113.9	Not of the Standard	Yes
69	87.8	N/A	No
85.8	82.4	N/A	N/A Boarding
90.8	97	N/A	Yes
107.4	114.9	Not of the Standard	N/A Boarding
105.5	90.8	N/A	Yes
94.8	101.1	Not of the Standard	No
85.2	110.3	N/A	Yes
116.1	116.7	Not of the Standard	Yes
86.8	96.9	N/A	Yes
91.3	99.4	N/A	No
73.9	107.8	N/A	No
99.7	119.4	Not of the Standard	No
104.3	98.5	Not of the Standard	Yes
112	119.4	Not of the Standard	No
80.9	82.5	N/A	Yes

91	85.6	N/A	Yes
80.4	75.8	N/A	Yes
90.7	84.4	N/A	No
88.3	95.6	N/A	Yes
88.7	105.6	N/A	N/A Boarding
92.2	96.9	N/A	Yes
69	69	N/A	Yes
97.5	84.4	N/A	Yes
85.8	93.6	N/A	Yes
92.1	93.9	N/A	Yes
81.4	85.5	N/A	Yes
92.2	90.4	N/A	N/A Boarding
109.9	116.1	Not of the Standard	No
76.8	85.5	N/A	Yes
98.2	83.8	N/A	Yes
98.8	84.3	N/A	Yes
82.2	92.3	N/A	Yes
72.8	72.9	N/A	Yes
99.7	106.1	Not of the Standard	No
116.2	112.8	Not of the Standard	No
80.6	80.5	N/A	Yes